

# Refine Search

## Search Results

Terms	Documents
(L27) and (erythropoietin)	6

Database:

US Pre-Grant Publication Full-Text Da  
US Patents Full-Text Database  
US Patents OCR Backfile  
EPO Abstracts Database  
JPO Abstracts Database  
Derwent World Patents Index

Search Type: ☒ Prior Art ☐ Interference

Search:

L28

Refine Search

Recall Text



Clear

Interrupt

## Search History

DATE: Tuesday, October 27, 2009

[Purge Queries](#)[Printable Copy](#)[Create Case](#)

Set Name   Query  
Side by Side

Hit Count   Set Name   Set Name  
Result Set   Grid

Prior Art Searches

DB=PGPB,USPT,EPAB,JPAB,DWPI; PLUR=NO; OP=ADJ

<u>L28</u>	(L27) and (erythropoietin)	6	<u>L28</u>	<u>L28</u>
<u>L27</u>	(kwon or choi or kang or jeh or lee or k im or oh).in. and (kyu chan or suk young or young cheol or hoon sung or seung joo or myung jim or ji eon or jin-seok).in.	453	<u>L27</u>	<u>L27</u>

*DB=USPT; PLUR=NO; OP=ADJ*

<u>L26</u>	(L24) and (weight or volume or wt)	1	<u>L26</u>	<u>L26</u>
<u>L25</u>	(L24) and (w/v)	0	<u>L25</u>	<u>L25</u>
<u>L24</u>	(L23) and (PVP or polyvin\$ or glycerol or polyhydric\$ or propylene glycol or polyethylene glycol or polypropylene glycol)	1	<u>L24</u>	<u>L24</u>
<u>L23</u>	(L22) and (mannitol or sorbitol or cyclitol or inositol)	1	<u>L23</u>	<u>L23</u>
<u>L22</u>	(L21) and (erythropoietin or EPO)	1	<u>L22</u>	<u>L22</u>
<u>L21</u>	4992419.pn.	1	<u>L21</u>	<u>L21</u>
<u>L20</u>	(L19) and (erythropoietin or EPO)	0	<u>L20</u>	<u>L20</u>
<u>L19</u>	(L18) and (mannitol or sorbitol or cyclitol or inositol)	1	<u>L19</u>	<u>L19</u>
<u>L18</u>	(L17) and (PVP or polyvin\$ or glycerol or polyhydric or propylene glycol or polyethylene glycol or polypropylene glycol)	1	<u>L18</u>	<u>L18</u>
<u>L17</u>	4647454.pn.	1	<u>L17</u>	<u>L17</u>

*DB=PGPB; PLUR=NO; OP=ADJ*

<u>L16</u>	4647454.pn.	0	<u>L16</u>	<u>L16</u>
------------	-------------	---	------------	------------

*DB=EPAB,JPAB,DWPI; PLUR=NO; OP=ADJ*

<u>L15</u>	L7 and L14	1	<u>L15</u>	<u>L15</u>
<u>L14</u>	(PVP or polyvin\$ or glycerol or polyhydric or propylene glycol or polyethylene glycol or polypropylene glycol) with (w/v)	545	<u>L14</u>	<u>L14</u>
<u>L13</u>	L7 and L12	0	<u>L13</u>	<u>L13</u>
<u>L12</u>	(PVP or polyvin\$ or glycerol or polyhydric or propylene glycol or polyethylene glycol or polypropylene glycol) with (wt/vol)	56	<u>L12</u>	<u>L12</u>
<u>L11</u>	L7 and L10	0	<u>L11</u>	<u>L11</u>

<u>L10</u>	(PVP or polyvin\$ or glycerol or polyhydric or propylene glycol or polyethylene glycol or polypropylene glycol) with (weight/volume)	41	<u>L10</u>	<u>L10</u>
<u>L9</u>	L5 and L6	0	<u>L9</u>	<u>L9</u>
<u>L8</u>	L3 and L6	1	<u>L8</u>	<u>L8</u>
<u>L7</u>	L2 and L6	6	<u>L7</u>	<u>L7</u>
<u>L6</u>	(L1) and (EPO or erythropoietin)	2362	<u>L6</u>	<u>L6</u>
<u>L5</u>	(mannitol or sorbitol or cyclitol or inositol) with (weight/volume)	11	<u>L5</u>	<u>L5</u>
<u>L4</u>	(mannitol or sorbitol or cyclitol or inositol) with (w/v)	144	<u>L4</u>	<u>L4</u>
<u>L3</u>	(mannitol or sorbitol or cyclitol or inositol) with (wt/vol)	14	<u>L3</u>	<u>L3</u>
<u>L2</u>	(mannitol or sorbitol or cyclitol or inositol) with (wt or weight)	2782	<u>L2</u>	<u>L2</u>
<u>L1</u>	(formulation\$ or composition\$ or solution\$ or pharmaceutical\$ or preparation\$).ab. or (formulation\$ or composition\$ or preparation\$ or solution\$ or pharmaceutical\$).clm. or (composition\$ or formulation\$ or pharmaceutical\$ or solution\$ or preparation\$).ti.	6318609	<u>L1</u>	<u>L1</u>

END OF SEARCH HISTORY